



Legislation Text

File #: 21-4621, **Version:** 1

Department: Purchasing

Department Head/Elected Official: DeWight Dopslauf, Purchasing Agent, Purchasing Department

Regular or Supplemental RCA:

- ☒ Regular RCA
☐ Supplemental RCA

Type of Request: Contract - Amendment

Project ID (if applicable):

Vendor/Entity Legal Name (if applicable):

MWDBE Participation (if applicable):

Request Summary (Agenda Caption):

Request for approval of a renewal option with FireTron, Inc. for fire alarm monitoring services at various buildings and communication system upgrades for Facilities & Property Maintenance for the period of October 1, 2021 - September 30, 2022 at a cost of \$185,328, subject to applicable bonds to be received (200033).

Background and Discussion:

Expected Impact:

Alternative Options:

Alignment with Goal(s):

- ☐ Justice and Safety
☐ Economic Opportunity
☐ Housing
☐ Public Health
☐ Transportation

- ☐ Flooding
☐ Environment
☐ Governance and Customer Service

Prior Court Action (if any):

Location:

Address (if applicable list below):

- ☐ Countywide
☐ Precinct 1
☐ Precinct 2
☐ Precinct 3
☐ Precinct 4

Fiscal and Personnel Summary				
Service Name		FY 21-22	Estimates	
			FY 22	Next 3 FYs
Incremental Expenditures				
Labor Expenditures		-	-	-
Non-Labor Expenditures		-	-	-
Total Incremental Expenditures		-	-	-
Funding Sources (General Fund, PIC Fund, Debt or CP, Grants, or Other - Please Specify)				
Existing Budget		-	-	-
		-	-	-
		-	-	-
Total Current Budget		-	-	-
Additional Budget Requested		-	-	-
		-	-	-
		-	-	-
Total Additional Budget Requested		-	-	-
Total Funding Sources		-	-	-
Personnel (Fill out section only if requesting new PCNs)				
Current Position Count for Service		-	-	-
Additional Positions Requested		-	-	-
Total Personnel		-	-	-

Anticipated Implementation Date:

Emergency/Disaster Recovery Note:

- ☐ Not an emergency, disaster recovery, or COVID-19 related item
- ☐ Emergency Item
- ☐ COVID-19 related Item
- ☐ Disaster Recovery related Item

Contact(s) name, title, department:

Attachments (if applicable):